

# 180ft Ballastable Barge - 13778



Ocean Marine Brokerage Service | Louisiana  
(985) 448-0409 / Fax: (985) 302-0984

**Vessel # 13778 / BG**

**Price: \$0.00**

**Contact: [steve3@oceanmarine.com](mailto:steve3@oceanmarine.com)**

## REGISTRATION

|                   |           |
|-------------------|-----------|
| YEAR BUILT:       | 2011      |
| FLAG:             | Australia |
| CLASSIFICATION:   | GL        |
| CONSTRUCTION:     | STEEL     |
| GROSS / NET TONS: | 928 / 277 |
| CERTIFIED:        | Yes       |
| LOADLINE:         | YES       |

## LOCATION

|           |              |
|-----------|--------------|
| LOCATION: | Indian Ocean |
|-----------|--------------|

## DIMENSIONS

|         |                       |
|---------|-----------------------|
| LENGTH: | 180.0 FT. / 59.05 MT. |
| BEAM:   | 60.0 FT. / 19.68 MT.  |

## CAPACITIES

|                | Gal.    | M Tons | Barrels |
|----------------|---------|--------|---------|
| BALLAST:       | 0.0     | NaN    | NaN     |
| DECK CAPACITY: | 15T /M2 |        |         |

## ACCOMMODATIONS

BERTHS: N/A

STATEROOMS: N/A

## MACHINERY

MAIN ENGINES: 0 None

HORSEPOWER: 0

REDUCTION GEAR: None RATIO:None

PROP: N/A

NOZZLE: NO

GENERATORS: (1) Hydraulic Diesel - KW:99

BOW THRUSTER: NO / HP: 0

STERN THRUSTER: No / HP: 0

## DECK EQUIPMENT

CRANES: NO

STERN ROLLER: NO

WINCH TYPE: Hydraulic/Elect ric

PUSH WINCH MAKE : NO

RAKES: Hydraulic/Elect ric

SPUD WELLS: NO

SPUD WINCH: NO

## ELECTRONICS

AUTO PILOT: NO

DEPTH FINDER: NO

PLOTTER: NO

|            |    |
|------------|----|
| EPIRB:     | NO |
| GPS:       | NO |
| RADIO VHF: | NO |
| RADIO SSB: | NO |
| RADAR:     | NO |

## COMMENTS

Used Like New 180ft Ballast able 2011 Deck Mooring Brage. Barge is Reported to be in Excellent Shape. double longitudinal bulk heads (perfect for crane barge). Anchor Winch Details, 1 x Hand operated anchor winch approx. 10 tonnes capacity fitted with 75m x 16mm dia. Anchor galvanised wire rope, 1 x 500kg stockless bower anchor, Mooring Winch Details, 4 x 20T Hydraulic Single Drum Mooring Winch fitted with 28mm diameter x 300m (6x36+IWRC) Steel Wire Rope with, One end fitted with closed spelter socket and other end plain, 1 x Hydraulic diesel driven 99kW four point mooring hydraulic power pack, 4 x 2T Stevshark Anchors, 4 x Deck Mounted Mooring Anchor 28mm Swivel Fairleaders, Additional Details, All-Round Handrails, Flushed manholes marked with identification of each tank, Flush Access Ladder to Deck, Standard Tyre Fenders, Emergency Tow Line, 3 x Navigation Light Stands, Chain Bridle Assembly, SMIT Brackets (tow connection point), Towing Bridle Assembly

Details pertaining to this vessel are obtained from sources believed to be reliable, however we can not guarantee their accuracy. Buyers should instruct surveyors and agents to investigate details for validity. All offers are subject to prior sale, changes in price and / or inventory, and without notice.

**NOTE: See Photos on next page**

