

1460 HP Model Bow Tug - 2089



Ocean Marine Brokerage Service | Louisiana
(985) 448-0409 / Fax: (985) 302-0984

Vessel # 2089 / TG

Price: \$1,200,000.00

Contact: nick@oceanmarine.com

REGISTRATION

YEAR BUILT:	1979
BUILDER:	Rayco
FLAG:	U.S.
CLASSIFICATION:	ABS, COI+ Sub M
CONSTRUCTION:	Steel
GROSS / NET TONS:	86 / 59
CERTIFIED:	Yes
# OF PASSENGERS:	0
LOADLINE:	ABS

LOCATION

LOCATION:	East Coast US
-----------	---------------

DIMENSIONS

LENGTH:	70.0 FT. / 21.35 MT.
BEAM:	24.0 FT. / 7.32 MT.
DRAFT:	6.0 FT. / 2.01 MT.
DRAFT LOADED:	8.0 FT. / 2.0 MT.

REG. LENGTH: 65.7 FT. / 21.55 MT.

EYE LEVEL: 0.0 FT.

CAPACITIES

	Gal.	MTons	Barrels
FUEL:	25000.0	100.0	595.0
POTABLE WATER:	2600.0	10.0	62.0
BALLAST:	0.0	0.0	0.0

PERFORMANCE

SPEED: 10.0 KTS

CONSUMPTION: GPH: 0.0 Tons Per Day: 0.0

ACCOMMODATIONS

BERTHS: 6

STATEROOMS: 2

MACHINERY

MAIN ENGINES: 2 CAT 3412E

HORSEPOWER: 1450

REDUCTION GEAR: T win Disc MG 540 RATIO:7:1

PROP: 72" x 62* with 6" shaft

GENERATORS: (2) John Deere - KW:44

BOW THRUSTER: No / HP: 0

STERN THRUSTER: No / HP: 0

DECK EQUIPMENT

CRANES: None

STERN ROLLER: No

WINCH TYPE: Smatco 44-DPS-75

PUSH WINCH MAKE : None

SPUD WELLS: None

SPUD WINCH: None

ELECTRONICS

AUTO PILOT: Wood Freeman 500

DEPTH FINDER: Furuno

PLOTTER: No

EPIRB: Yes

GPS: Yes

RADIO VHF: Yes

RADIO SSB: Yes

RADAR: Furuno 72 & 48 mile

OTHER EQUIPMENT

Ais

COMMENTS

1460HP Model Bow Tug. Reported in good condition. In current operation. ABS towing certificate current. COI SubM USCG. Oceans, Coastwise, Great Lakes. Has a single drum, Smatco 44-DPS-75 towing winch. Outfitted with 1,200(ft) of 1.25(in) towing wire. repowered in 1996 mains and gens

Details pertaining to this vessel are obtained from sources believed to be reliable, however we can not guarantee their accuracy. Buyers should instruct surveyors and agents to investigate details for validity. All offers are subject to prior sale, changes in price and / or inventory, and without notice.

NOTE: See Photos on next page



© Glenn Raymo
MarineTraffic.com